




SMLS SS Pipe Seamless 3 Inch Stainless Steel Pipe 309 A312 304H TP304H 347 2205

Our Product Introduction


Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5days
- Payment Terms: L/C, T/T , Western Union
- Supply Ability: 90000ton



Product Specification

- Bending: CNC Bending, Manual Bending, Etc.
- Cutting: Laser Cutting, Waterjet Cutting, Etc.
- Inner Diameter: Customized
- Length: Customized
- Material: Stainless Steel
- Outer Diameter: Customized
- Process: Fabrication
- Shape: Tube
- Size: Customized
- Surface Treatment: Polishing, Sandblasting, Anodizing, Etc.
- Testing: X-ray Testing, Magnetic Particle Testing, Etc.
- Thickness: Customized
- Tolerance: $\pm 0.01\text{mm}$
- Welding: TIG Welding, MIG Welding, Etc.
- Highlight: **SMLS ss pipe seamless,**



Product Description

KEY ATTRIBUTES

INDUSTRY-SPECIFIC ATTRIBUTES

TYPE	WELDED
STEEL GRADE	300 SERIES
TOLERANCE	±5%
GRADE	300 SERIES
STEEL GRADE	301L, S30815, 301, 304N, 310S, S32305, 410, 204C3, 316Ti, 316L, 441, 316, L4, 420J1, 321, 410S, 410L, 436L, 443, LH, L1, S32304, 314, 347, 430, 309S, 304, 439, 204C2, 425M, 409L, 420J2, 436, 445, 304L, 405, 370, S32101, 904L, 444, 301LN, 305, 429, 304J1, 317L
SURFACE FINISH	BA
INVOICING	BY ACTUAL WEIGHT

OTHER ATTRIBUTES

STANDARD	JIS
PLACE OF ORIGIN	SHANDONG, CHINA
SECTION SHAPE	ROUND
ALLOY OR NOT	IS ALLOY
DELIVERY TIME	8-14 DAYS
BRAND NAME	JINSHUNLAI
MODEL NUMBER	316L 316 420 440 4CR13
APPLICATION	HEAT EXCHANGE,BOILE ,POWER,CHEMICAL FACTORY ETC
WELDING LINE TYPE	SEAMLESS
PROCESSING SERVICE	BENDING, WELDING, DECOILING, PUNCHING, CUTTING, MOULDING
PRODUCT NAME	304 STAINLESS STEEL SEAMLESS PIPE FOR HEAT EXCHANGE
STANDARD	ASTM,JIS,EN,DIN,GB
MATERIAL	304,304L, 316, 316L,317L,321,347
SURFACE	BRUSH,HAIR LINE,POLISH,BRIGHT
THICKNESS	0.1MM-60MM
OUTER DIAMETER	6MM-2500MM (3/8"-100")
LENGTH	6M-12M
PACKAGE	PLASTIC BAG+PVC FILM+WOODEN CASE

ENDS	PLAIN ENDS BEVEL ENDS
TECHNOLOGY	COLD DRAWING ANNEALED



Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China