

16mm Copper Coil Tubing pipe 50 ft Electrical Conductive

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- contact us Standard sea Package
- 5 days

90000ton

china

IOS

1kg

jinshunlai

0.1nm-900nm

- L/C, T/T , Western Union, D/P



Product Specification

- Corrosion Resistance:
- . Heat Treatability:
- Length:
- Machinability:
- Wall Thickness:
- Color:
- Highlight:

Varies Good Varies Red Yellow

Good

Good

16mm Copper Coil Tubing, Conductive Copper Coil Tubing, Conductive 50 ft copper tubing



More Images



Key attributes

Industry-specific attributes

Туре	Pancake Coil Copper Pipe
Cu (Min)	99.92%
Alloy Or Not	Is Alloy
Ultimate Strength (≥ MPa)	205-245
Elongation (≥ %)	40

Other attributes

Place of Origin	Tianjin, China
Application	Air Condition Or Refrigerator
Specification	3mm-100mm
Grade	c10400
Length	1M-6M
Wall Thickness	0.1mm-3.0mm
Outside Diameter	3mm-100mm
Model Number	c10400
Processing Service	Cutting
Product Name	ASTM B88 Small Diameter Refrigerator Copper Pipe For Sale
Standard	ASTM B88
Surface	Bright
Material	C11000 C10200 C12200
Temper	Harf Hard,Hard
Technique	Cold Drawn
Packing	Heat Shrinkable Packaging and Wooden Case
Payment terms	TT+LC
OEM	Accept
Export to	Thailand, Philippines, Singapore, Middle East

Product Description

Copper tube is one of the components that is needed in air conditioning and refrigerant system. The tube is used as a path for the refrigerant to flow between system components and to contain it from escaping to the atmosphere. Sizing, installation layout and fittings must be done properly to ensure that the system runs efficiently.

Wuxi Jinnuo copper Co.,Ltd				
 +86-17763564398 sales01@shuangheyisteel.com copper-solid.com Chengnan Road, New District, Wuxi City, Jiangsu Province, China 				